

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/620,268	07/14/2003	Jurgen Engelbrecht	930008-2046.1	8768
20999	7590 06/21/2005		EXAMINER	
	LAWRENCE & HA	MOORE, MARGARET G		
745 FIFTH A NEW YORK,	VENUE- 10TH FL. NY 10151		ART UNIT PAPER NUMBE	
			1712	

DATE MAILED: 06/21/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)					
	10/620,268	ENGELBRECHT ET AL.					
Office Action Summary	Examiner	Art Unit					
•	Margaret G. Moore	1712					
The MAILING DATE of this communication ap							
Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION  - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a replace of the period for reply specified above, the maximum statutory period for reply within the set or extended period for reply will, by stature to reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	.136(a). In no event, however, may a reply within the statutory minimum of third will expire SIX (6) MON te, cause the application to become AB	eply be timely filed y (30) days will be considered timely. THS from the mailing date of this communica ANDONED (35 U.S.C. § 133).	ation.				
Status							
1) Responsive to communication(s) filed on 4	41.05						
2a) This action is <b>FINAL</b> . 2b) ▼ This	☐ This action is <b>FINAL</b> . 2b)⊠ This action is non-final.						
Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4) Claim(s) 20-23 is/are pending in the application 4a) Of the above claim(s) is/are withdrates 5) Claim(s) is/are allowed.  6) Claim(s) 20-23 is/are rejected.  7) Claim(s) is/are objected to.  8) Claim(s) are subject to restriction and/	awn from consideration.						
Application Papers							
9)☐ The specification is objected to by the Examin	er.						
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the E	examiner. Note the attached	Office Action or form PTO-152					
Priority under 35 U.S.C. § 119							
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>							
Attachment(s)  1) Notice of References Cited (PTO-892)	A) 🗆 Interview o	ummary (PTO 442)					
2) Notice of References Cited (PTO-892)  Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s	ummary (PTO-413) )/Mail Date					
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date	5) Notice of Ir 6) Other:	formal Patent Application (PTO-152) 					

Application/Control Number: 10/620,268

Art Unit: 1712

1. Applicants' amendment overcomes the prior art rejection as the adhesive required in the claimed methods is neither taught nor suggested by the prior art. The following new grounds of rejection are being made. Because some of the new rejections could have been made in the previous office action, this action cannot be made final. The Examiner apologizes for this unintentional delay.

Page 2

- 2. Claim 23 is objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form. This claim fails to further limit claim 23 since it is drawn to a different invention than claim 20. In addition, reference to an adhesive "according to claim 20" is improper since claim 20 is not drawn to an adhesive.
- 3. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970);and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

4. Claim 23 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1 to 22 of U.S. Patent No. 6,612,836. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims in '836 are drawn either to a dental impression try or a method of making one. Note for instance claim 17, in which the

Application/Control Number: 10/620,268 Page 3

Art Unit: 1712

method includes the further step of applying a layer of an addition crosslinkable silicone to the adhesive copolymer. This corresponds to the vinyl silicone impression material found in claim 23. See also claim 12.

- 5. Claims 20 to 22 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claim 22 of U.S. Patent No. 6,403,751. Although the conflicting claims are not identical, they are not patentably distinct from each other because the condensation crosslinking silicone bonded to the prostheses in '751 by means of the adhesive meets the silicone relining required by the claimed method. The Examiner notes that the instant claims are drawn to a method while '751 is drawn to a composition, but contacting the condensation crosslinking silicone and the prostheses with the adhesive is the obvious method by which the composition in '751 will be prepared.
- 6. For the record the Examiner notes that an obviousness type double patenting rejection over '751 for claim 23 is not being made because claim 23 specifies an addition crosslinking vinyl silicone impression composition while claim 23 in '751 is drawn to a condensation crosslinking silicone impression material. The teachings in '751 indicate that condensation and addition silicone materials have different properties in the composition therein (see Example 2) and as such it would not have been obvious to use one in place of the other. On the other hand an obviousness type double patenting rejection of claims 20 to 22 over '836 is not being made because a method of making a dental impression tray does not render obvious a method of bonding dental prostheses and silicone relinings.
- 7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Margaret G. Moore whose telephone number is 571-272-1090. The examiner can normally be reached on Monday to Wednesday and Friday, 10am to 4pm.

Application/Control Number: 10/620,268 Page 4

Art Unit: 1712

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Randy Gulakowski can be reached on (571) 272-1302. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Margaret G. Moore Primary Ekaminer Art Unit 17/12

mgm 6/16/05